



GORILLA® ANKLE FRACTURE PLATING SYSTEM Plate Features

Multiple plates provide holes that have a built-in recess for placement of a syndesmotic device or to allow a screw that is off-axis to have reduced screw head prominence

All holes accept 2.7 mm, 3.5 mm or 4.2 mm locking and non-locking polyaxial screws

All plates are low profile


- · Straight, Anatomic, Hook, and Posterior: (thickness of 1.5 mm or less)
- · Pilon: (thickness of 1.8 mm)


All plates have tapered proximal and distal tips to assist in percutaneous insertion

All plates have chamfered edges to minimize soft tissue irritation and a scalloped under surface to preserve blood supply to the periosteum



Plates





Medial Malleolus Plate

 Plate designed to address vertical shear fractures and medial malleolar osteotomy fixation



Available in a 7 hole plate



Straight Fibular Plate

 Plate optionality and malleability (CP4 Titanium) provides a plating solution for a variety of fracture types and patterns

Available in 3-10 hole, 12 hole, 14 hole and 16 hole plates



Anatomic Fibular Plate

 Distal screw cluster allows for multiple fixation points in the lateral malleolus


Available in 7 hole, 9 hole, 11 hole, 13 hole and 15 hole right and left side specific plates



Posterior Fibular Plate

 Plate optionality provides incision and fracture based configurations for the posterior, posterolateral and lateral fibula

Available in 7 hole, 9 hole and 11 hole Alpha and Beta plates



Posteromedial Tibia Plate

 Contoured to the posteromedial tibia to treat posterior pilon variant fractures





Trimalleolar Tibia Plate

- Slight concavity allows for plate placement posteriorly on the tibia with little to no bending
- Plate helps guard against superior translation of the posterior tibia fracture fragment in trimalleolar fractures


Available in 3 hole and 4 hole plates



Posterolateral Tibia Plate

- Contoured to the posterolateral tibia to treat posterior pilon variant fractures or large trimalleolar posterior tibia fragments
- Two most distal screw holes are angled superiorly to avoid the dome of the tibial plafond

Available in 5 hole, 6 hole, 7 hole, and 8 hole right and left side specific plates





Straight Fibular Hook Plate

 Hooks are designed to support a comminuted lateral malleolus or avulsion fragment





Anatomic Fibular Hook Plate

• Distal screw cluster allows for crossing screw placement through hooks to provide support and additional fixation to distal fragment

Available in 5 hole and 6 hole right and left side specific plates



Medial Malleolus Hook Plate

 Intended for fixation of comminuted or small fractures of the medial malleolus that may not be conducive to lag screw fixation






Available in 2 hole and 4 hole plates



Anterior Distal Tibia Plate


- Contoured to the distal anterior tibia with increased thickness just above the distal cluster and thinning distally and proximally to limit soft tissue irritation
- Nine hole distal cluster maximizes capture of distal fragments





Anterolateral Distal Tibia Plate

- Contoured to the distal lateral anterior tibia with increased thickness just above the cluster and along the shaft of the tibia for increased strength and stability and tapering proximally to limit soft tissue irritation
- Proximal portion of plate is curved to capture the anterior surface of the tibia and designed to allow for restoration of length and tibial axis
- Seven hole distal cluster maximizes capture of distal fragments



Available in 11, 13, 15, 17, 19, 21, 23, and 25 hole right and left specific plates





Medial Distal Tibia Plate

- · Contoured to the distal medial tibia with increased thickness just above the distal cluster and thinning distally and proximally to limit soft tissue irritation
- · Seven hole distal cluster maximizes capture of distal fragments

Available in 11, 13, 15, 17, 19, 21, and 23 hole plates

SYSTEM SPECIFIC INSTRUMENTATION



Medial Malleolus K-wire Guide



1.6 x 10 cm Long Olive Wire



1.6 x 8 cm Long Olive Wire



Plate Positioning Tower



Hook Plate Screw Drill Guide



Hook Plate Single Tamp



Hook Plate Double Tamp

FRACTURE REDUCTION INSTRUMENTATION



Tenaculum Clamp





AFPS-01 RevE

TM Trademarks and ® Registered Trademarks of Paragon 28, Inc. © Copyright 2020 Paragon 28, Inc. All rights reserved. Patents: www.paragon28.com/patents

+353 (0) 1588 0350

Paragon 28, Inc. 14445 Grasslands Dr. Englewood, CO 80112 (855) 786-2828

Paragon 28 Medical Devices Trading Limited First Floor Block 7 Beckett Way Park West Business Park **C** € 2797 Dublin 12 D12 X884 Ireland

and its products please visit

www.paragon28.com



For the contraindications, potential complications and adverse reactions, warnings and precautions associated with this device, please refer to the device specific instructions for use at http://www.paragon28.com/ifus